



Blocking Legend:

- I-BEAM BLOCKING
SEE SOIL BEARING CAPACITY CHARTS FOR SPACING
- COLUMN BLOCKING
SEE SOIL BEARING CAPACITY CHARTS FOR PAD SIZE
- SHEARWALL BLOCKING
- SHEARWALL FRAME TIE
- CENTER LINE TIES
- VERTICAL TIE
MAX. SPACING 9'-9" CENTER TO CENTER
- LONGITUDINAL TIES
- SHEARWALL TIE

- 1) ALL EXTERIOR DOORS, BAY WINDOWS, RECESSED SIDEWALLS AND EXTERIOR WALL OPENINGS 48" OR GREATER. WILL REQUIRE BLOCKING ON EACH SIDE.
- 2) 32' WIDE HOMES REQUIRED TO BE BLOCKED MIN 8'-0" ON CENTER BETWEEN COLUMNS.

TownHomes
P.O. BOX 1059
LAKE CITY, FLORIDA
32056

VISION - EXPERIENCE - INTEGRITY - BUILDING YOUR FUTURE

TownHomes
P.O. BOX 1059
LAKE CITY, FLORIDA
32056

Date: 12-4-12		Revisions	Cod#: 32119A1
Dr'n: ROB		9FT WALLS	
Parent: NEW			
Code: T (13)		ALT#1	
ZONE 2	Model: 32119-331	Print: BLOCKING PLAN	