



ELECTRATHON  AMERICA



2007/2008

HANDBOOK

ELECTRATHON AMERICA



Electrathon Vehicle Design and Event Rules : Effective 1 January 2007 through 31 December 2008


	page
MEMBERSHIP.....	2
RULE CHANGE PROPOSALS.....	2

Vehicle Design Rules	Page.....
DIMENSIONS.....	4
CONFIGURATION.....	4
FRAME.....	4
ROLL BAR *.....	4
VEHICLE BODY.....	5
STABILITY.....	5
LEANING VEHICLES.....	5
STEERING.....	5
BRAKES and AXLES.....	6
WHEELS and TIRES.....	6
BATTERIES.....	6
ELECTRICAL SYSTEM.....	7
ISOLATION SWITCH.....	7
MOTOR and TRANSMISSION.....	8
MOTOR CONTROLLER.....	8
NUMBERS.....	8
MIRRORS *.....	8
SAFETY BELTS.....	9
HELMETS *.....	9
DRIVING POSITION.....	9
DRIVER'S ATTIRE *.....	9
EXITING THE VEHICLE.....	10
DRIVER.....	10
COMPETITOR MEMBERSHIP CARD.....	10
DRIVER'S WEIGHT.....	10
BALLAST.....	10
SOLAR CLASS *.....	10

Vehicle Design Guidelines	Page.....
BUILDING YOUR ELECTRATHON.....	12
CHASSIS DESIGN.....	14
STABILITY.....	14
BODIES.....	15
STEERING.....	16
SUSPENSION.....	17
DRIVE TRAIN.....	17
WHEELS.....	18
BRAKES.....	19
AXLES.....	19
MOTORS.....	20
MOTOR CONTROLLERS.....	20
INSTRUMENTS.....	20
BATTERIES.....	21
RESOURCES.....	22

Event Rules	Page.....
SANCTIONED EVENTS.....	24
ELIGIBILITY.....	24
DEMONSTRATIONS.....	24
CLASSES AND DIVISIONS.....	25
COURSE REQUIREMENTS *.....	26
ENTRY FEES.....	27
PRIZE MONEY.....	27
VEHICLE INSPECTION.....	28
DRIVERS MEETING.....	28
COMPETITION FLAGS.....	28
STARTING GRID.....	29
VELODROME RULES.....	29
VIDEO CAMERA.....	29
ROLES AND RESPONSIBILITIES.....	30
RULES OF THE ROAD *.....	32
EVENT CHRONOLOGY.....	33
COMPETITION NUMBERS.....	34
 FORMS	
VEHICLE INSPECTION.....	35
LIABILITY RELEASE.....	36
OFFICIAL PROTEST.....	37
LAP TALLY SHEETS.....	38, 39
EVENT INSURANCE.....	40
EVENT AUTHORIZATION.....	41
MEMBERSHIP *.....	42


* indicates changes were made to this section of the rulebook for the current edition



ELECTRATHON AMERICA

STATEMENT OF PURPOSE: *To create and develop a sport that improves public understanding of electric vehicles through continuously improved vehicle and event rules.*

- COMPETITION OBJECTIVES:**
1. To drive electrically powered vehicles as far as possible in one hour on a closed loop course using limited electrical energy.
 2. To provide a forum where skill and ingenuity may be displayed, compared and tested.
 3. To improve public awareness and understanding of efficient alternative electric vehicles and related technology.
 4. To create an affordable sport defined by established rules in which groups and Individuals can participate competitively and safely.



VEHICLES

Electrathon vehicles are single person, lightweight, aerodynamic, high efficiency, electric vehicles with three or four pneumatic tires. They must meet specific design and safety rules. They are powered by standard non-leaking lead acid battery packs not exceeding 67 pounds .

SAFETY

Safety is of key concern at all events. The design of the vehicles is only one variable in the safety of an event. Inspection of the vehicles to ensure that they meet safety rules, having a course that is free from obstructions, and making sure participants and spectators are not in harms way are just some of the requirements of sanctioning and of these regulations.

For these safety reasons local Event Organizers, Promoters, and Event Stewards may not make ANY changes to the Electrathon America Design and Event Rules other than where specific guidelines for deviation are listed.

To be an Electrathon America Sanctioned Event the Event Rules must be enforced during the event and all vehicles participating in the event must meet the current Vehicle Design rules.

MEMBERSHIP


A Competitor Membership is for those wishing to compete in sanctioned Electrathon America events. It includes number registration of one vehicle, one Handbook, and one vote on any suggested rule changes that are presented by the Electrathon America Board during the Event Season. The membership voting rights also include the vote to appoint Electrathon America Board Members. Membership also includes a one year subscription to the ELECTRA Newsletter. See the membership application form at the back of this handbook.

All memberships are valid for the Event Season during which they are paid. The event season is from January 1st to December 31st. All rule changes approved by member vote will take effect January 1 of each event year. Rule changes will be posted on the website and published in the ELECTRA newsletter as they are approved.

The Handbook (and rules) can be viewed online at www.ElectrathonAmerica.org or printed copies can be purchased directly from Electrathon America.

Officers and Board members can be contacted via internet E mail addresses available on the ElectrathonAmerica website. Members are encouraged to communicate with Board Members with rule suggestions and any other information to help improve the sport and its educational value.


Regional representatives are encouraged to participate as advisors to the EA board. Member surveys are used as needed to solicit opinion on rules and policy from the membership.



RULE CHANGE PROPOSALS

Suggestions for rule changes of either the Design Rules or Event Rules must be presented to an Electrathon America Board Member in writing. If a proposal is consistent with the spirit of Electrathon America competition and will benefit the sport, the Board may present the proposal to the current year membership for an official vote. If passed any rule change will be included in the next edition of the Handbook.

VEHICLE DESIGN RULES



The Vehicle Design Rules are maintained by Electrathon America and enforced at sanctioned events. They are provided to promote safe and fair competition.

Since safety is of key concern these rules should be considered minimum requirements. These rules will be in force and these requirements must be maintained during the entire competition. Any vehicle should be able to pass inspection at any time during a competition.

Experimentation of design and ingenuity are encouraged, but keep in mind the intent of safe competition for the driver and the other participants of an event. If a new concept is being attempted that does not fit the rules exactly it may be wise to contact an event official or an Officer of Electrathon America before proceeding with construction. It would be unfortunate to complete a vehicle and then have it disqualified at a competition. Please remember that safety is a primary goal.


To better understand these rules please read the Event Rules to learn how these rules will be enforced.

1.0 DIMENSIONS

1.1 Minimum track (distance the tires are apart) is 2 feet center to center.


1.2 Maximum vehicle width is 4 feet at its widest point when the steering system is positioned as if driving in a straight line.

1.3 Maximum vehicle length is 12 feet.



2.0 CONFIGURATION

2.1 All vehicles must be three-wheeled (cycle-car or tricycle) or four wheeled. Any configuration is allowed. All wheels must be load bearing, and remain in contact with the ground at all times, even under hard cornering conditions.



3.0 FRAME / FRAME MEMBERS

3.1 All vehicles must have frame members that protect the driver in the event of collisions from any direction.

3.2 Frames may be constructed of various materials and styles providing that the material(s) or methods provide adequate structural strength for protection/safety. The design will need to be structurally sound in the opinion of inspectors and/or race officials.

4.0 ROLL BAR

4.1 A roll bar must provide roll over protection for the driver's head throughout the full range of its possible movement both from the top and from the sides. (See drawing.)



4.2 The roll bar structure must be triangulated with at least three legs or panel equivalent. Triangulated bracing can be either forward or rearward. With three legs bracing must extend from the top of the roll bar and securely attach to the vehicle structure, with four legs, each of the braces must extend to within 4" of the top. Any roll bar that is constructed from more than one continuous piece must be reinforced and braced triangularly from all junctions/joints in addition to the top.

4.3 The roll bar structure must appear to be sturdy enough to withstand the vehicle being dropped, upside down, from an altitude of one foot, with the driver inside without failure.

4.4 The driver's helmet must be below a straight line drawn from the top of the roll bar to the top of a front tire or the highest structural point when the driver is securely belted in driving position. (See drawing.)

4.5 Composite or monocoque vehicles with integral rollover protection must meet comparable strength and clearance requirements.

4.6 Padding must be installed to prevent injury from contacting the frame members in the event of an accident. Padding must be at least 1/2-inch thick and made of foam.





5.0 VEHICLE BODY

5.1 All vehicles must provide a body/chassis structure sufficient to protect the driver from impact from any side. A suitable structure or shell is required to provide a barrier between the driver and any contact with another vehicle or the ground.

5.2 This body or structure needs to protect the driver's legs, feet, and side up to shoulder level protecting the rib cage from side impact.

5.3 The legs and feet must be enclosed to prevent them from leaving the vehicle in an accident and provide protection against a frontal impact.

5.4 If the chassis contains a structural shell sufficient to protect the driver, then any body provided need not be structural. However, under no circumstances is the body to be made of cardboard, paper or any material that becomes weak when wet. Materials that are brittle, or produce sharp edges when broken (e.g. Plexiglas or brittle acrylic panels) are also not allowed.

5.5 A body is not required if the frame or chassis shell will prevent the driver's arms and legs from leaving the vehicle and prevent another vehicle's parts from entering the vehicle during an accident.

5.6 The vehicle must not have any sharp edges, corners or protrusions that could cause injury. Any questionable exposed portion of the vehicle should be cut off, rounded off or blunted with durable padding.

5.7 The vehicle must have a fixed floor pan that prevents the driver's body from contacting the ground.

6.0 STABILITY

6.1 All vehicles must demonstrate stability at rest, while cornering, braking and at top speed.

6.2 Driver contact with the ground cannot be used for stability.

6.3 Vehicles must be positively balanced and stable at all times while moving and at rest. Stability is critical for safety and must be maintained in off-camber turns, high-banked corners and in windy conditions.

7.0 LEANING VEHICLES

7.1 Leaning vehicles are permitted provided the driver is not required to balance the vehicle and stability requirements are met.

7.2 Leaning vehicles must use a mechanical device for actuation.

7.3 Vehicles which lean must have the ability to lock out the leaning capability of the vehicle for driver access and exit.

8.0 STEERING

8.1 Steering must permit a turning circle diameter of less than 50 feet curb to curb.

8.2 Any steering system must be well constructed and provide reliable steering action without looseness or binding.

9.0 BRAKES and AXLES

- 9.1 At least two wheels must have brakes.
- 9.2 Brakes must be fitted to two wheels of the same axle. Either both front wheels or both rear wheels depending on vehicle construction.
- 9.3 The two brakes must have separate actuation cables. If both brakes are to be actuated by a single hand or foot lever then both cables should be attached to the lever.
- 9.4 Regenerative braking is permitted in addition to conventional brakes.
- 9.5 The vehicle must not roll if pushed while brakes are applied. The vehicle must also be able to demonstrate a straight stop from a speed of 25 MPH in less than 40 feet.
- 9.6 Axles supported at both ends must have a diameter of at least 3/8" or 10 mm.
- 9.7 Axles that are only supported on one end must have a diameter of at least 1/2" or 12 mm.
- 9.8 Safety wire or cotter pins must be used to secure cantilevered wheel axle nuts. Nylon lock nuts and double nuts alone are not acceptable.


10.0 WHEELS and TIRES

- 10.1 Tires must be a pneumatic (inflatable) type.
- 10.2 Wheels and Tires of any diameter or width may be used.
- 10.3 Clearance between the vehicle's lowest point and the ground must exceed the height of the tire sidewalls to prevent the vehicle from sliding on the ground in the event of failure of any or all of the tires.
- 10.4 While in driving position the driver's body must not be able to come in contact with tires, wheels or spokes.

11.0 BATTERIES

- 11.1 Batteries must be lead acid only. Only batteries that will not leak if punctured, such as gel cell or AGM (Absorptive Glass Mat) will be allowed to participate at events in practice or in competition.
- 11.2 Battery number and voltage is not limited, but must meet specified weight limits, or must be the accepted battery types listed.
- 11.3 Batteries must display all original manufacturer's labels.
- 11.4 Batteries must be commercially retailed and available to any competitor. Custom built or specialized batteries are not allowed.
- 11.5 Batteries must be stock and unmodified in any way and meet all conditions of the manufacturer's written warranty.
- 11.6 Total battery weight can not exceed 67 pounds. Total battery weight includes any batteries used for controls actuation, or functioning of the vehicle. Computers, radios or similar equipment are not included.

The following list of batteries is accepted as standards which are not required to be weighed:



Two of the following batteries will be allowed regardless of actual weight:

Optima SC25A, SC35A, Optima SC75/35

Odyssey Genesis G42 (VP, VPX, EP, EPX)

MK 40

Exide Orbital Model 75/35

Champion Vortex 75/35





Table adapted from National Electric Code (NEC) Handbook for standard automotive type cable, single conductor, not in a raceway or conduit.

Wire size AWG	MAX Fuse or Breaker Size
20	5.5 AMPS
18	9 AMPS
16	12 AMPS
14	15 AMPS
12	20 AMPS
10	30 AMPS
8	80 AMPS
6	105 AMPS
4	140 AMPS
2	200 AMPS
1	250 AMPS

For other cable types or configurations refer to an applicable NEC (National Electric Code) standard.



11.7 Batteries cannot be exchanged or recharged from an outside source during a competition. Batteries may be recharged by regenerative braking. In Solar Class recharging through use of solar panels is also allowed.

11.8 Batteries must be securely attached to the vehicle in such a manner to withstand an impact or roll-over.

11.9 Batteries must be enclosed or covered to prevent acid leakage in the event of accidental damage to the battery.

12.0 ELECTRICAL SYSTEM

12.1 A fuse or circuit breaker is required in any electrical circuit between the battery and any electrical device.

12.2 All fuses or circuit breakers should be mounted as close as practically possible to the source of power.

12.3 All fuses or breakers should be sized to protect the wiring to which they are connected. The current rating of fuses and breakers shall be no more than those listed in the adjacent table for standard automotive cable.

13.0 ISOLATION SWITCH

13.1 An isolation switch (kill switch) is required on all vehicles. This switch must have a break current rating that exceeds the maximum current draw of the vehicle.

13.2 The switch must be located in the main positive power cable between the battery and any motor controller.

13.3 An actuator may be attached to the switch for remote operation provided that it is durable and reliable.

13.4 Means must be provided for both the driver and race officials to actuate an isolation switch.

13.5 The driver must be able to actuate the switch while in driving position and without reaching outside the vehicle.

13.6 Race officials must be able to actuate the switch from outside the vehicle without reaching in.

13.7 Two switches may be installed if necessary.

13.8 A circuit breaker may be used as the isolation switch.

13.9 The switch or actuator accessible from outside the vehicle must be mounted within a solid red triangle whose sides are at least 4 inches. It must be visible and in contrast to the vehicle color or graphics.

13.10 Wiring must be well insulated and securely attached to the frame or body. All wiring must be kept free from moving parts and protected from chafing.

13.11 Wiring that passes through a hole with sharp edges or through sheet metal must be protected by an insulating grommet or other suitable device.

13.12 Terminals must be secured so they will not come loose or short out during a competition.

13.13 No part of the electrical system may use the vehicle frame as a conductor. The frame must not be grounded.

14.0 MOTOR and TRANSMISSION

14.1 Vehicles must only be powered by electric motors.

14.2 All motors must be controlled by the driver, and must turn off automatically when the driver releases the motor control.

14.3 All gears, chains, and sprockets must be covered if they could cause injury to the driver or others in the event of mechanical failure.

15.0 MOTOR CONTROLLER

15.1 Any type of power (speed) controller is allowed.

15.2 Power to the motor must turn off automatically when the driver releases the accelerator.

15.3 Remote control of a vehicle is not permitted.

15.4 There are no restrictions to energy management (*open loop or closed loop) throttle control. Computers on or off the vehicle are legal.

16.0 NUMBERS

16.1 All vehicles must display assigned vehicle competition numbers.

16.2 Vehicle numbers must be least 6 inches in height

16.3 Numbers must be displayed and clearly visible on both sides of the vehicle.


16.4 The numbers must be in a contrasting color to the vehicle or number background. Out of state vehicles must also display their state abbreviation following the vehicle number in 3 inch high letters.

17.0 MIRRORS

17.1 Vehicles must be equipped with a minimum of 8 square inches of total usable mirror surface area. This may be one or two mirrors.



17.2 The mirror(s) must allow the driver to see clearly to the rear on both sides of the vehicle. This will be tested by being able to identify the color of a clipboard held at various places behind the car.

17.3 The driver must be able to see clearly to the front and both sides of the vehicle.



**OPEN LOOP systems refer to instrumentation that presents information only, relying on the driver to make operational adjustments.*

CLOSED LOOP energy management systems are those that monitor the performance of the vehicle and directly adjust the vehicle throttle or other controls. The vehicle still requires a driver controlled "dead man" cut off.



18.0 SAFETY BELTS

18.1 All vehicles must be equipped with a five-point automotive seat belt system.

18.2 The seat belt, shoulder harness and crotch strap must be securely attached to the vehicle and be capable of lifting the entire vehicle from the ground.

18.3 Seat belts must be mounted to a structural point at least 3 inches below the top of the drivers waist.

18.4 The shoulder harness must be attached to a structural point at least 3 inches below the driver's shoulder.

18.5 The seat belt, shoulder harness and crotch strap must be able to hold the driver in a position that does not allow any excessive movement. It must prevent the driver from sliding forward during a sudden stop. It must also maintain the driver's shoulders in the "driving position" in case of a sudden stop. The seat belt must be able to hold the driver securely in place if the vehicle rolls over.

19.0 HELMETS

All drivers must wear a DOT approved helmet during competition. Helmets must be at least $\frac{3}{4}$ hard-shell with full hard shell helmets recommended. Bicycle and skateboard helmets are not acceptable.

19.2 Chin straps on helmets must be properly and securely fastened while operating an Electrathon Vehicle.

20.0 DRIVER ATTIRE

20.1 Drivers must be fully clothed during competition.

20.2 Long sleeve shirts, pants and shoes are required (water socks and wrestling shoes are acceptable).

20.3 Gloves are required for open cockpit vehicles. Gloves are optional for enclosed canopy vehicles. Fingerless gloves are allowed.

20.4 All drivers must wear eye protection while operating an Electrathon vehicle. Safety glasses with a Z87 rating, goggles, or a full face shield helmet are acceptable.

20.5 Hair must be contained in such a way that all of it is unable to reach the drive train.

20.6 Necklaces, wrist and ankle bracelets, and large ear rings must be removed.

21.0 DRIVING POSITION

21.1 Drivers must be in a sitting or recumbent (reclining) position. A kneeling, or prone (head first) position is not permitted.

21.2 Arms and legs must remain within the vehicle body structure during competition.

22.0 EXITING THE VEHICLE

22.1 Drivers must be able to exit their vehicle as it is driven in competition, unaided in 20 seconds. This includes any external method of securing canopies.

22.2 Handicapped participants will be allowed up to 2 minutes aided exit.

23.0 DRIVER

23.1 All drivers must show a valid driver's license.

23.2 All drivers must sign a liability release prior to each event. Drivers under the age of 18 must have a parent or legal guardian co-sign their liability release on their behalf.

24.0 COMPETITOR MEMBERSHIP CARD

24.1 To compete in a sanctioned event, all vehicles must be accompanied by an Electrathon America Competitor Membership Card. This card will be made available by Electrathon America and can be presented as proof of current year paid membership. The Event Organizer may request a computer roster of current competitor members to verify memberships.

25.0 BALLAST

25.1 Drivers must weigh a minimum of 180 pounds. This includes race clothing and helmet. Drivers under this weight limit must provide non-liquid ballast to increase their weight to the legal limit.

25.2 Ballast cannot be performance related items such as communication equipment or computers. However, non-performance items such as cameras or music systems may be permitted as ballast provided they do not present a safety risk to the driver or other competitors.

25.3 Ballast must be removable for weigh in. Ballast must be securely attached to the vehicle in such a manner to withstand an impact or roll-over. If a vehicle loses its ballast during competition, it will be black flagged and disqualified.


25.4 Each driver is responsible for providing the correct amount of ballast.

26.0 SOLAR CLASS

All other Standard Class rules apply with the following additions:

26.1 Solar panels are permitted provided they are an integral part of the vehicle body and do not protrude to the front, sides or rear.


26.2 Wings or trailers are not permitted.



27.0 COMPLIANCE

All vehicles must meet all Vehicle Design Rules to drive at any Electrathon America sanctioned event. This is true for competition, practice or testing and includes driver's clothing, safety equipment, batteries, battery securing systems, seat belts, etc.

ELECTRATHON AMERICA



DESIGN 2007/2008 GUIDELINES

VEHICLE DESIGN GUIDELINES

It is not the intent for this section to tell you how to design and build a car, Electrathons vary widely in style and design. One of the most exciting parts of Electrathon is that the car you design is unique to you and your team! You are the engineers, the builders, the mechanics... It is the intent to guide you in a direction. Some experienced builders could easily write this section, while others look at the whole concept and just go blank, most builders are someplace in between.

BUILDING YOUR ELECTRATHON

An Electrathon vehicle is much like a full size RC model car, except that you can get in and drive it. Since you are the driver, it is important to make it stable and safe for your protection, as well as the safety of the other drivers and spectators at the track. Building a competitive and safe vehicle is the challenge. The Electrathon rules have evolved over many years to help builders construct a well-designed and safe vehicle. An Electrathon competition combines speed, aerodynamics, handling and lightweight design to create a balanced performance formula. These guidelines offer suggestions to assist you in achieving that goal.





TESTING

This is where races are won or lost. Reliability is the single biggest factor in winning. You don't know what will break until you've tried to break it. Testing on the bench will give you "benchmarks" and help you choose components. Simple coast down tests can be used to compare and evaluate tires and aerodynamic changes. Testing on a track will allow you to understand how various components work together. It will give you a chance to refine your chassis handling qualities and find your ideal gear ratios. With testing will come the winning edge.

ATTITUDE

Electrathon is fun. You are not going to get rich and famous doing this, but you will have fun. And you will learn something...about how things work and about yourself. By establishing and refining simple rules, Electrathon is an elegant balance of design and strategy. No single factor is predominant, and the result is an international racing class known for its creative, competitive and efficient vehicles. Building a vehicle is an attainable challenge, and through friendly competition you gain insight and experience that will improve your chances of winning.



CHASSIS DESIGN

The chassis is the backbone of your vehicle. Unless you are a veteran builder, you should try to keep your first chassis as simple and straight-forward as possible. While weight is a prevalent concern, it is actually only one of several factors that contribute to a successful Electrathon. Reliability is the key to winning. Most Electrathon courses are level, and acceleration is only a small part of the race. Although you will not want to build an overly heavy vehicle, concentrate on building a safe vehicle. Most Electrathons weigh over 350 pounds with driver, ballast and battery, so 10 to 20 extra pounds will be minor. It is more important that the design be strong.



Electrathon vehicles are comprised of three types of layouts: Tricycle: A three wheeled vehicle with one wheel in front. Cycle car: A three wheeled vehicle with two wheels in front. Auto car: A four wheeled vehicle. Each design has disadvantages that you want to minimize, and advantages you want to optimize.

STABILITY


A well-designed vehicle should be stable under all conditions and situations that might be encountered in a race. Competition places very high loads on a vehicle during tight cornering, even at relatively low speeds. It is therefore very important that the center of gravity of your vehicle be located below the axles. You need only a couple of inches of ground clearance on most race courses. Two to three inches is usually adequate, but make sure that you have clearance even if one, or all, of the tires are flat (this is a rule requirement).

Position the driver, batteries and motor so that the weight is carried low (to prevent flipping over), and near the center of the car (to reduce the tendency to spin). Each wheel should be equally weighted for best handling and control, but a bias toward the front will increase stability. This is easily measured (with driver and batteries on board) with bathroom scales, and can be adjusted by proper placement of the driver's ballast.


Lift an outboard wheel with driver on board. Your vehicle should not tip over at 33 degrees. (This is not necessarily the minimum angle, even steeper banked courses exist) A vehicle that doesn't tip at 33 degrees when static may do so under dynamic conditions typical during racing. Parking lots have potholes, streets have curbs, and when the pavement ends at a racetrack there is usually a little drop-off. All of these can flip a fast moving vehicle.



The Tricycle offers a single wheel steering like a bicycle, and the opportunity to try front wheel drive or rear wheel drive.




The Cycle car steers with both front wheels, but requires a complex steering system. It offers a simple power train driving the rear wheel.



The Auto car layout shares the weight among four wheels, and is less sensitive to placement of weight within the vehicle; but it has the added weight, complexity and rolling resistance of the extra wheel.





Up in free air the ideal shape to strive for, looking from the side or from the top, is an airfoil, or teardrop. Note that forward and backward are not the same.


Close to the ground the ideal shape looks like this in side view,



but if it is close enough to the ground, this shape works nearly as well.



Frontal area, the size of the hole made in the wind, should be reduced as much as possible.



BODIES

AERODYNAMICS

Aerodynamic drag increases rapidly the faster you go, enough to be a deciding factor over the duration of the race. Wind resistance has a noticeable effect above 15 mph. Aerodynamic drag is the result of speed, frontal area and length of the vehicle and the shape of the body shell. At Electrathon speeds rounded fish-like teardrop shapes are very functional. Avoid abrupt bends, and flat surfaces. Make sure you can get in and out, and see well from inside the vehicle. Be sure you can get to the chain, tire and other adjustable components. Secure the body panels to the vehicle well, loose panels can create a lot of wind drag.

Creating a body shell is a challenge much like building a fiberglass boat or large model airplane. Work in the materials you know and ask around for advice on materials and techniques from plastic suppliers and fiberglass supply shops. Bodies have been made of fiberglass, fabric, steel and aluminum and plastic sheets, even light plywood. A shell is very functional in protecting you from other vehicles and the ground. The body shell is one of the attractive features that make Electrathon distinctive. It can also help attract sponsors for your vehicle.



Swept Area, the total amount of body in contact with the wind, should also be minimized..

WIND POWER

It may be possible to capture extra energy from the wind. In fact, we may already be sailing. Engineers have calculated that the net effect of a light wind from any direction will add noticeably to the speed of an aerodynamic vehicle traveling in a circle (or oval). The head wind is cancelled out by the tail wind, and the rest of the time you are on what sailors call a 'reach'.

While EA has approved the design concept, it has yet to be proven effective in practice.



MONOCOQUES (frameless, or unibody vehicles)

Experiments with a one-piece body/chassis could result in lighter vehicle designs. Like boats and aircraft, they can be very strong. This is an advanced technique using composites (fiberglass, Kevlar or carbon fibers with epoxy or polyester resins). Materials can be expensive, but the drawback is usually the cost and time to engineer a shell properly. Simple but effective designs have been built from wood and fiberglass using small boat construction methods. Some community colleges offer courses in composites.

CANOPIES


A windshield is an important part of your body shell. Depending on your design, you can use clear plastic creatively bent to fit (sheets of acrylic and polycarbonate are readily available in various thicknesses), motorcycle fairings, or buy canopies from a variety of suppliers. Most commercial canopies are molded from these same materials,

but this is a difficult process. Acrylic is cheaper, but more brittle and will shatter. It molds at a lower heat, but it doesn't bend as well as polycarbonate, which is also more scratch resistant.







STEERING

If you decide to build a Cycle car or Auto car, you need a good steering system design. Take a look at Go Karts, ATVs and other Electrathon vehicles. Some vehicles use steering wheels, others have "Joy-sticks" like fighter planes, and other use levers. Spend time on this aspect, and devise a good reliable system. Talk to automotive technicians and look at full sized cars. Good steering geometry is very important for control at speed.



If you build a Tricycle, your steering system is much simpler, however you still need to design the right amount of caster angle to be stable, maneuverable, and minimize tire wear. There are a lot of steering systems out there, going into the choices and terminology would be a book in itself. Take a look around at some of the ones used currently on Electrathon vehicles, but understand what you are doing before you build it.





SUSPENSION

If you enjoy devising the linkages of a steering system, you will love getting into suspension. You don't need suspension in Electrathon, but it makes the ride better. Suspension is an advanced project. One of the unique characteristics of three wheeled vehicles is that the wheels will always be on the ground, no matter how uneven the ground may be. A three wheeled vehicle undergoes no twisting or torque in its chassis due to uneven terrain. A four-wheeled vehicle, on the other hand, needs a suspension in order to keep all its wheels on the ground and reduce stress on the chassis. Remember though, simplicity=reliability! You don't need much suspension travel, even a simple system can reduce vibration and jarring. Just suspending the seat will help.

DRIVE TRAIN

Most vehicles use a direct drive chain (usually bicycle) or belt drive adapted to fit a bicycle threaded rear wheel hub. Unless you are using regenerative braking, you will want the drive to freewheel when you let off the power. Alignment and tension are critical. Too loose and it will pop off if the drive wheel flexes in turns and bumps; too tight and the friction will cost up to 5% power loss. Gear ratios are critical in tuning your performance and range, well worth the time spent experimenting. Each motor, battery voltage, wheel diameter and course type affects the gearing. A selection of sprockets or pulleys is a necessity. Some vehicles use multiple gear systems, although the added friction may cancel out that advantage.



WHEELS

Most competitors use spoked bicycle, BMX or Moped wheels. Keep in mind that these two wheeled vehicles lean into corners so the force is always straight down the wheel. If those wheels are side loaded, they need to be much stronger.


The minimum allowable tire diameter was 12 inches, and 12", 16", 17", 20", 24", 26" and 27" have all been used. The larger diameter wheels have less rolling resistance, while the smaller diameter wheels have less wind resistance, and are typically stronger under cornering loads.

Spoked wheels should use heavy-duty spokes and lots of them. A good bicycle wheel mechanic can set you up with a very strong and light wheel. Remember to check them often for trueness and loose spokes. Wheel collapse is not uncommon, and a wobbly wheel won't go very fast. BMX type plastic wheels are maintenance free and quite strong (except at low temperatures), but heavier than spoked bicycle wheels and limited to lower tire pressure. Moped wheels are rugged and will take high tire pressure but weigh the most. While tire width and tread pattern are important, tire pressure is the biggest factor in rolling resistance. Obviously, the higher the better, but there are safety limits to consider. Choose the tires according to the track as well. Skinny tires work fine on smooth speedways but may not last the hour on a rough parking lot.

Wheel covers will reduce aerodynamic drag a great deal, as spokes tend to churn the air like egg beaters. There are commercially available models, but they are not difficult to make in fabric or plastic. It is even possible to heat shrink mylar directly to the rim.

If you are really industrious and have some experience with composites, you can mold your own dish wheels on aluminum bicycle rims. End grain balsa and structural foam have been used as core material. Carbon fiber alone is too brittle and should be reinforced with kevlar. It is also a good idea to cut out a simple flower or spoke pattern so some of the fabric layers can pass from one side to the other, forming an internal web. Remember to use some sort of uncompressable filler material where the bolts go through.






BRAKES

If you can't stop, you can't go. Nowhere are brakes more important than in competition, although most competitors use their brakes as little as possible. From a safety and liability standpoint brakes are vital. In competition, your ability to brake well will help you make that critical pass to win, or avoid a certain collision. In designing your chassis you must resolve how you are going to mount the brakes to your vehicle and what kind of brake assembly will work. Luckily you have a variety of options:


BICYCLE CALIPER RIM BRAKES:

The typical bike brake can be mounted out on arms from your axle to grip the wheel rim. Offset arm style calipers can often be modified to reverse the cable so it pulls back along the wheel to the axle and then into the vehicle. Although this is the least expensive way to go, it is also the least effective, requiring ongoing adjustment and pad replacement to keep them working properly.



BICYCLE DRUM BRAKES:

These are harder to find, but most bike shops can get them for you. They are used on tandem bikes since the pads don't wear out as fast. They must be custom mounted to your bike rims. Their large hubs and internal (automotive type) brake shoes make them a popular solution for Electrathon use. They do require adjustment though, and you must keep your spokes tight. Another variation is to use moped hub drum brakes. If you can, try a used set from an old moped. They are made from an aluminum alloy and can be adapted to fit bicycle wheels, or the entire moped wheel can be used.



DISC BRAKES

There are many disc brakes available now for mountain bikes and tandems, both cable and hydraulically operated. They are very light and strong but can be expensive. Go-kart discs are another option, however they are quite large, heavy and difficult to adapt. Small motorcycle disc brakes are also a possibility although large and heavy.

Whatever you use, make sure you can actuate them both evenly. If one side or the other locks up you will spin out or swerve.



AXLES

One important note: **DO NOT USE BICYCLE OR MOPED AXLES UNLESS SUPPORTED AT BOTH ENDS.** If your axles are cantilevered (attached on one side only like a wheelchair) you **MUST** replace the stock axle with a 1/2" or 12mm diameter bolt. Axle diameters less than 12mm are illegal. A bicycle or moped axle **WILL** break. It is easy to pull out the stock axle and replace it with a larger one. You must replace the wheel bearings with cartridge bearing assemblies. These can be found at bearing supply stores. Use an axle bolt and nut that accepts a cotter pin so your wheel doesn't come off. This is a rule requirement.

MOTORS

Most Electrathon vehicles use 12 or 24 volt motors although any voltage (36 volts and up) is allowable provided the total battery weight does not exceed 67 pounds of non-leaking batteries. Most motors are over 2 horsepower permanent magnet types. Series wound motors are lighter, but are not as efficient. Unloaded they can spin up and destroy themselves. Never let them rev free. Choose a continuous duty rated motor if you can, although small or intermittent duty motors can work but may require a cooling fan to prevent overheating. Not only does the fan use power, heat itself is energy - if your motor is hot, you are wasting it. Small motors running near their maximum current tend to get hot. Your batteries will give you about one horsepower averaged over the hour, but you can easily find yourself drawing 3 or more horsepower coming out of a tight turn. Pump, starter, forklift, surplus military aircraft motors and even generators can be found at low prices occasionally. Evaluate your motor carefully, talk to the manufacturer and other vehicle owners. Remember, your power comes from the battery, not the motor. Motors are only another place to lose energy on the way to the wheels.

MOTOR CONTROLLER


A P.W.M. (Pulse Width Modulated) type electronic speed controller is the best way to go. Although they are expensive, on tight tracks or where you must modulate power in traffic, they are beneficial and very efficient because they very rapidly cut power off and on to the motor. The controller is 'controlled' by a speed control, or potentiometer at the foot pedal, which operates at very low voltage to tell the controller how much power to send to the motor. This is often combined with another limiting potentiometer which sets a top limit on that power. This way you can drive with your foot to the floor and adjust the limit to the desired amperage, rather than trying to hold your foot at a precise point part way down for an hour.

Resistance type Rheostats absorb power from the motor creating heat. They are cheap but not as efficient. The simplest way is an on/off button, and can be fine on a fast track. You must be able to control power manually so that the power shuts off automatically when you release the throttle.

INSTRUMENTS


The goal of Electrathon is to see how far you can go in an hour. To do that effectively, you will need to know what your vehicle is doing, so instrumentation is essential.

Amperage and voltage are the most important things to know. Simple analog gauges will work, but it's hard to see the needle and small numbers when you and they are bouncing around in a race. Digital units (E-Meters) are more expensive, but they are much more precise, easier to read, and will record the data over time, so at the end of a race you can tell the total number of amp or watt hours you've used. Either way, your meter needs to be connected to a shunt, which is a chunk of metal of known resistance that current flows through.



It is also helpful to know how fast you are going. Bicycle speedometers are inexpensive and offer a reasonably accurate measure of speed and distance, but remember,

Electrathon distances are measured at the minimum possible for the course, not how fast or far **you** might have gone. Bike speedometers usually have another very helpful feature...a clock! If you do your calculations right, you can also use it as a motor tachometer, unless of course you are spinning your wheel (a definite no-no).



BATTERIES

Electrathon America has tested these batteries to establish a reference point. Your actual results may vary

Optima SC25A AGM (SC35A
are the same with "reversed posts")
41.8 Amp/hours, 480 Watt/hours

Optima 75/35 AGM (Double Post)
38.9 Amp/hours, 447 Watt/hours


Exide Orbital 75/35 AGM
(Double Posts & built in Handles)
37.4 Amp/hours, 445 Watt/hours

Champion Vortex 75/35 AGM
(Double Posts & built in Handles)
35.8 Amp/hours, 415 Watt/hours

MK 40 amp/hr Gel Cell
21.5 Amp/hours, 233 Watt/hours

CHARGING

Battery chargers come in many sizes over a broad price range. 10 amp chargers are fine, they just take 6-8 hours to charge, where a 50amp charger can do it in 2-3 hours. 20 amps is a good compromise, and if it has a 24volt option, you can charge pairs together. Its a good idea to keep an evenly matched pair together for life, as a weaker one will get weaker as you cycle them, and a strong one will get stronger.



Typical 24V system test board

Electrathon allows only non-leaking lead-acid batteries, with no more than 67lbs. total weight. Batteries generally offer higher performance when they are warmer, so if you are racing on a cold day, it might make sense to heat them, at least to a level they were designed for, say a hot day in Arizona. Remember, batteries heat naturally when they are being charged or discharged, so keeping them in an insulated box retains more of their energy. Heating can be done with warming blankets, hair dryers, or immersion heaters. Hot tap water is often enough, as there may be diminishing return and permanent damage after 120 degrees (oven thermometers are a handy tool).

Batteries may be labeled as starter or deep cycle, although the distinction has become blurred in recent years and the cost is about the same.

Generally, starter batteries have more and thinner plates inside, so they will charge or discharge more quickly, but their useful life is shorter. The heating and deep discharging of racing is hard on any battery, but if you are kind to them (don't go below 21 volts and don't leave them drained for more than a day or two, even starter batteries should last a couple racing seasons.

Most batteries are 12 volt, and most vehicles use two of them in series for 24 volts. It's the common compromise. Motors run more efficiently at higher voltages, but fewer batteries mean more of that 67lb. weight is lead and acid, not plastic cases and terminals. But Electrathon is all about creativity and experimentation, so anything is worth a try. Besides...technology evolves. While the basic idea hasn't changed much in a hundred years, manufacturers are trying harder than ever to improve them.

TESTING

The most important thing to know about your batteries is how much power they have. There is no way to know how fast you can go in an hour until you know how much power you have available. This is the Art (or Science) of Electrathon. To make an intelligent guess you need to draw them down over the course of an hour at a rate you think you can sustain. You can, of course, do that in the car on a track. Since this is not always convenient, or even possible, you can recreate those conditions in the shop. The simplest and most accurate method is to connect a test load directly to your car (and its meter). You will need something that uses power: 12 volt light bulbs (25 or 50 watt) work great, but you should wire them in pairs and test pairs of batteries together if you have a 24 volt system. Screw or unscrew bulbs until you draw the amperage you want. 36 amps is a good number. More than that and you've got a sure winner! To be more precise, you can keep screwing and unscrewing bulbs to maintain a constant draw (or just figure an average draw). Notice that the amps will drop as the voltage drops. This process also gives you a chance to plot the voltage curve. Record the voltage at even increments, say every 10 minutes. Having this data in the car can help you keep track of how much power you are using. A good set of fully charged batteries will show over 26 volts with no load. Under load that will drop to about 24 volts, and continue a slow drop to 21 volts. At that point they will drop rapidly, and continuing to drain them will cause lasting damage. While it shows admirable determination to keep a car going at walking speed, it can be expensive if it ruins the batteries.

RESOURCES

This is just a quick survey, and is not intended to be a promotion or endorsement of products or services. For more listings, go to www.electrathonamerica.org. Please contact us about suggestions for future editions.

LOCAL

These are the people you need to establish a relationship with. They have the expertise and the parts you need. They may even sponsor you by donating time and materials.

Bike Shop- wheels, tires, chain, sprockets, brakes, cables, bar ends, grips, speedometers, shocks, old frames, and forks

Hardware Store- nuts, bolts, and other fasteners, tools, metals, plastics, paint, tape, and especially duct tape

Battery Distributor- He sells batteries to all the local stores. Since what you are doing is promoting the wider use of batteries, it is in his interest to at least give you a good discount. Buy batteries locally; this is one item you *do not* want to pay shipping costs on.

Marine Supply Store- composite materials, batteries, switches, fuses and miscellaneous hardware

Motorcycle/Moped/Go Kart Store- Wheels, tires, brakes, helmets, seat belts

Machine Shop- there are critical parts, like motor and sprocket adapters that you can't buy.. they have to be made

Welding/Fabrication Shop- If you don't have the expertise or space to work, they do.

Body Shop- ditto

Schools- Even if yours is not a school project, tech high school and colleges often have fabulous shop space, like machine, welding and body shops. If you can involve and inspire students, you may be welcome there.

BOOKS

Bicycling Science

Frank Rowland Whitt and David Gordon Wilson (MIT Press)

The Leading Edge -

Aerodynamic Design of Ultra-Streamlined Land Vehicles
Goro Tamai (Robert Bentley, Inc.)

Race Car Vehicle Dynamics

William F. Milliken and Douglas L. Milliken (SAE International)

Successful Composite Techniques

Kieth Noakes (Osprey Automotive)

Race Car Chassis- Design and Construction

Forbes Aird (Motorbooks International)

The New Electric Vehicles - A clean and quiet revolution
Michael Hackleman (Home Power Publications)

The Winning Solar Car: A Design Guide for Solar Race Car Teams by Douglas R. Carroll (SAE International)

Electric Dreams

(story of high school kids building and racing an electric car)
Caroline Kettlewell (Carroll & Graf Publishers)

ELECTRATHON KITS and PARTS

Blue Sky Design (541)895-5421 49 North
2nd St. Creswell, OR 97426
www.blueskydsn.com

Cloud Electric Vehicles DC Electric Vehicles
1 (800)648-7716 or (425)251-6380
19428 66th Ave. So. Suite Q-112 Kent, WA 98032
www.cloudelectric.com
www.dcelectricsupply.com

Destiny (541)760-1895
585 Canberra Drive, Philomath, OR 97370
www.destinyparts.com

Electric Vehicles of America Inc
(603)569-2100 Box 2037 Wolfeboro, NH 03894
www.ev-america.com

EV Parts Inc (Wilde EVolutions Inc)
(888)387-2787 or (360)385-7966
P.O. Box 221, 107 Louisa St, Port Townsend, WA
98368 www.evparts.com

KTA Services Inc (909)949-7914
944 West 21st St. Upland, CA 91784
www.kta-ev.com

METERS

BS Designs Email: (206)909-3409
www.brucesherrydesigns.com

MOTORS

Enigma Industries www.enigmaindustries.com
P.O. Box 27522 Anaheim CA, 92809

Lynch www.lemcoltd.com

New Generation Motors (703)858-0036
44645 Guilford Drive Suite 201
Ashburn, VA 2014 www.ngmcorp.com

Pentad (805) 492-5858
P.O. Box 1722, Thousand Oaks, CA 91358
<http://home.earthlink.net/~glraymond/pentadpg.html>

CONTROLLERS

ALLTrax, Inc. (541)-476-3565
Grants Pass Oregon www.alltraxinc.com

Curtis Instruments (914) 666-2791
www.curtisinst.com


COMPOSITES

Composites One www.compositesone.com
FiberGlass Supply, Inc. (509) 493-3464 314
West Depot P.O. Box 345 Bingen, WA 98605
www.fiberglasssupply.com

METAL, WOOD, PLASTICS and COMPOSITES

Aircraft Spruce & Specialty
1-877-4-SPRUCE www.aircraftspruce.com

ELECTRATHON AMERICA



EVENT

2005/2006

DESIGN RULES

EVENT DESIGN RULES

SANCTIONED EVENTS

Any Electrathon event may be sanctioned by Electrathon America provided that the current event and design rules are upheld and the sanctioning form is filed. Sanctioned events receive national publicity on the website and newsletter, and qualify for low cost event liability insurance if needed. Sanctioned events assure competitors that official Electrathon America Event rules will be followed for fair competition and safety.

Events are held regionally around the country as well as championship events for road race, speedway and Velodrome. Championship event status is determined by event history, track quality and location by the Electrathon America Board

EVENT AUTHORIZATION

An Event Authorization Form (included in the back of this handbook) is mandatory for a promoter to hold a sanctioned Electrathon America Event. There is a small fee for sanctioning, which is good for one or more consecutive days of the same event. Event registration information should be provided to Electrathon America for posting on the National website Event Calendar. This can gain additional promotion for the event. A link can be provided to an Event Website if it is available.

EVENT INSURANCE

Insurance covering the Electrathon event is required to be sanctioned. Insurance may be purchased inexpensively through Electrathon America, or may be provided independently by the Host or Promoter. If insurance other than Electrathon America's is used then it must meet the minimum specifications listed in the Insurance section near the end of this Handbook. Events not using EA insurance must provide Electrathon America with proof of insurance to maintain sanctioned status.

EVENT INVITATION

One of the requirements for an event to be sanctioned, is that it must be open to all vehicles in the region. High School or College events may be limited to schools only, but it is recommended to invite the Open Division as well. Students can learn a great deal from the more experienced competitors. Invitations must be sent to all registered vehicle owners in the same region as the event. A list of registered vehicles and owners may be requested from the Event Coordinator of Electrathon America.

EVENT REPORTING

Records should be kept for specific track distance records for each class and division. Records, race results, photos and a write up of the event should be forwarded to Electrathon America for posting on the Website and publication in the Electra Newsletter.

LIABILITY

All competing drivers must sign a liability release prior to entry (see Liability Release Form). If Electrathon America's insurance is used, the carrier requires their form to be used. Request these forms far in advance of the event.

The Event Design Rules are published by Electrathon America and are in force at all Electrathon America sanctioned events. These regulations are intended to provide a safe and equitable competition format and inspection process.

ELIGIBILITY

Participation is open to any individual, club or educational Institution complying with the event and vehicle regulations. Competitors must be members of Electrathon America



Encino Velodrome _
Los Angeles, CA

DEMONSTRATIONS

Demonstrations may be held where track size or allocated time do not meet the minimum requirements for a Sanctioned event. All other rules, especially those concerning safety must be observed. Vehicle speeds in demonstrations must not exceed 35 m.p.h. Entire events and/or Classes and Divisions within an event that do not meet Sanctioning requirements are considered Demonstrations.

There are no hardware differences between the Divisions. The High School, College and Open Divisions may have either or both Standard and Solar competitions. In other words there are now 6 different categories for potential winners and track records. In some events it may be possible for High School or College vehicles to compete in both their own division and the open division.



DRIVER CHANGES

As a suggestion only and not a rule requirement, a race steward has the option to require the following: Sometime between 20 and 40 minutes into the race each individual vehicle must stop at a designated and supervised location and the first driver exits and a second driver enters and drives the rest of the race. If there is not another driver available, the vehicle must still stop, and the driver exit and re-enter. The ballast should be calibrated for the lighter driver.

This variation encourages more participation and reduces driver fatigue.



SANCTIONED CLASSES AND DIVISIONS

There are two Classes of vehicles, Standard and Solar. Both classes are included in the High School, College and Open Divisions. This allows for multiple winners. An event is not required to have all combinations of Classes and Divisions to be Sanctioned. In fact most events tend to focus on particular groups, such as High School only or Standard Class, Open Division only, etc. There must be a minimum of three vehicles in each Class and Division for that category to be Sanctioned.

HIGH SCHOOL DIVISION

High school owned vehicles or vehicles built by High School age students with instructor supervision of student driver(s) and crew.

COLLEGE DIVISION

College owned vehicles or vehicles built by College students with instructor supervision of student driver(s) and crew.

OPEN DIVISION

Vehicle owner(s) and driver(s) may be any individual, group or school.

ADDITIONAL DIVISIONS

Event organizers may create additional divisions as needed by their particular area or participant mix. This may only be done for the purpose of equality of competition and not for the gain of specific teams or vehicles. There must be at least 3 vehicles competing for the division to be sanctioned. Additional divisions with an explanation of the requirements of the division must be noted on the Event Sanctioning form when it is submitted to Electrathon America. Some divisions that have been used in the past are: Kit Car Division (vehicles built from purchased kits), and Novice Division (vehicles participating in their first event with a new vehicle).



STANDARD CLASS *Battery power only (no solar cells).*

The Standard Class is viewed as a lower cost alternative in keeping with the spirit of Electrathon competition and actually represents what is typical for the majority of vehicles built.

SOLAR CLASS *Solar Assist allowed*

The Solar Class puts vehicles using photovoltaic cells in a separate class. Only a small percentage of vehicles have been built with this option, but the few that have pose a significant increase in performance and cost. Rather than limit the technology or force everyone to spend the extra money to be competitive, it was determined the best solution was to split the vehicles into two classes.

LENGTH

MINIMUM COURSE LENGTH FOR A SANCTIONED EVENT:

Flat Course:

1/4 Mile (1320 feet, 402.34 m)

Banked Course:

1/4 Km (820.21 feet, 250 m)

Courses should be long enough to permit vehicles to attain their top speed at some point on the course. A 500-700 foot straight is desirable.

Course length must be measured with a measuring wheel. On an oval track the distance is measured as the minimum distance a vehicle's inside tire could travel. On a track with reverse turns, the distances are measured with tangents from inside turn to inside turn.

The distance covered by a vehicle in one hour may be determined by an alternative method if that method can be shown to be more accurate than the current method, and has prior approval from the board of directors. An alternative method may be used to determine an official record of distance/time, but may only be used to determine the finishing order of a race if every competitor uses the same method.

WIDTH

RECOMMENDED MINIMUM COURSE WIDTH: 25 feet

Course width must be free of obstructions such as cones, barriers and channels. Surface must be same across entire width. There may be no obstacles in the entire course width which would limit the free movement of any vehicle from side to side.

RADIUS

MINIMUM CORNER CENTERLINE RADIUS : 25 feet

COURSE REQUIREMENTS

Events are typically held on parking lots, paved race tracks or velodromes where access onto the track can be safely controlled.

EA strongly encourages events to be held on actual race courses when possible. This is to alleviate hazards inherent in street courses. Where road or parking lot courses cannot be avoided, extra care should be taken to identify possible hazards and have them barricaded or flagged to prevent collisions. Such hazards shall be identified and strategies for avoidance discussed at the drivers meeting

Courses must be closed to all other vehicular traffic. Adequate precautions must be taken to prevent access onto the track. This may include, but not be limited to, signs, barricades, banner tape, and traffic cones.

Power should be provided at a rate of two-120 Volt, 20 Amp circuits per 10 cars. Power should be continuously available from 3 hours before the competition starts to 3 hours after the finish.

A pit area should be provided adjacent to the track with adequate area for displaying and charging the vehicles and accomodating support vehicles. If a display area is not adjacent to the Pit/Track, then there should be power in both the pit and display area.

Courses should be free of obstructions such as chuck holes, speed bumps or protrusions that would create a hazard to the competitors. The entire course surface should be the same material and texture. Dips or bumps which may damage the vehicles must be corrected or sanction will not be possible.

Barricades must be provided to define the course and may include traffic cones, saw horses and police tape and/or hay bales, etc. Courses should be clearly marked to identify all corners, boundaries, start/finish and any obstacle that could pose a safety problem.

There must be a positive physical barrier between spectators and the course. The barriers surrounding the course must be sufficient to stop Electrathon vehicles. Street curbs are not an effective barrier. Hay bales, tire walls, or suitable barriers must be provided to separate the course from spectators. Spectators must not be allowed near the course. Specified spectator areas should be designated with signs, barriers, or at minimum marking tape. There must be enough personnel/security provided for crowd control.

Road Course layouts should be designed to offer a variety of turns and straights unique to the location. Courses from 1/4 to 2 mile lengths are used.

Courses should alternate from clockwise to counterclockwise from event to event, to reduce tire wear, vehicle stress and offer variety. However some race tracks are specifically designed for vehicles to travel only in one direction. Do not run in a reverse direction if it compromises safety in any way.

Courses should be of adequate width and length to safely accommodate all competitors and allow safe opportunities to pass and maneuver. If a course cannot handle the number of vehicles present then separate heats should be run with a safe number of vehicles in each heat.

TIMING AND SCORING

An Electrathon race is one hour in duration, with a maximum of two minutes allowed after that time for each vehicle to complete its final lap. At exactly 60 minutes by the official clock the checkered flag is dropped. Any vehicle that crosses the finish line before that time may continue until they cross the finish line again. If they complete this final lap within the additional two minutes that lap will be counted, if they do not, it will not be counted. Finishing position may be determined by observing the order vehicles cross the finish line on the final lap or recording the time it took to do so.

ENTRY FEES

Event host organizations may charge entry fees to events. Use of such entry fees are at the discretion of the host organization. It is recommended that prizes, trophies or awards be offered. It is assumed that registration/entry fees will be used to cover event costs, although excess monies should be paid out as prize money in addition to any sponsor provided prize money. A promoter may award trophies, plaques etc. as well. In the case of product prizes, they are to be awarded starting with the first place finisher. However prizes may also be awarded for sportsmanship.

PRIZE MONEY

AWARDS

Electrathon America is concerned about the emphasis in this sport shifting from educational to professional. We encourage raising and paying out sponsor and prize money but feel the distribution should be among all the participating vehicles and based upon performance. We do not feel a "winner take all" philosophy is in the best interest of this sport. All prize money or cash awards shall be distributed among all participants on a per lap basis. Non-cash awards, trophies, certificates etc may be distributed as deemed appropriate by the event promoter or sponsor. Payouts should be distributed to the vehicle owners as soon as possible after an event.

PER LAP PAYOUTS


Total prize money (lap money) is the total of the registration fees (minus the share to cover expenses) plus any separate prize money that has been donated to the event. Prize money is based upon laps completed by each vehicle. The total prize money is divided by the sum of all the laps completed by all the vehicles during an event to arrive at a per lap rate. Then each vehicle's lap totals are multiplied by the per lap rate to arrive at a per vehicle pay out.

PAYOUTS WITH MULTIPLE CLASSES/DIVISIONS

To maintain prize payout equality between the Classes and Divisions it is important that the prize money be divided proportionately. It would be unfair for all participants to pay the same entry fees and have the Open Division take home a majority of the prize money when competing in the same event as High School entries.

When multiple categories are competing the total prize money should be proportionately divided by the number of vehicles competing in each category before the per lap rate is calculated.

This way the first place Open car and the first place High School car receive almost the exact same amount of prize money.



For example; If there is \$500.00 in prize money and the total laps achieved by ALL of the cars in the event is 1000, then the per lap rate is $\$500.00 / 1000 \text{ laps} = \0.50 per lap . If car # 1 completed 156 laps during the event, then it's owner would be paid \$78.00, $(156 \times \$0.50)$.

For example; There are 40 vehicles competing, 10 in the Open Division and 30 in the High School Division, and the total prize money is \$1000. The Open Division's portion of the prize money would be $1/4 (10/40)$ of the total, or \$250. The High School's portion would be $3/4 (30/40)$, or \$750. If the 10 Open cars completed 500 laps, then the per lap rate for them would be \$0.50 per lap. If the 30 High School cars completed 1250 laps, then their per lap rate would be \$0.60 per lap.

VEHICLE INSPECTION

All competing vehicles must conform to current Electrathon rules.

At the discretion of the event Steward, vehicles with minor non-compliance of performance regulations may be permitted to participate on a one time basis provided that the issue(s) of noncompliance does not compromise safety. Non-compliant vehicles are not eligible for lap money or prizes and are not included in the official results.

All vehicle owners must present their vehicles for inspection prior to the event. It is the vehicle owner's responsibility to allow enough time for inspection and any designated repairs or modifications. Competitors are expected to inform themselves of the current vehicle design rules.

Vehicle drivers must also present themselves for inspection, for clothing, weigh-in, and vehicle exit test.

Battery weight inspection is an important part of Electrathon competition. Since the batteries are what limit the performance of specific vehicles it is important that battery weights be accurately measured. The Event Coordinator shall provide an accurate scale capable of weighing up to 67lbs. This one scale shall be declared the official scale and all batteries must be weighed on this single scale.

It is recommended that the scale be calibrated using a 'weight standard'. Such a standard can be as simple as gallon jugs of water. The amount of water in one of the jugs must be altered to make the total 67lbs. To create the standard, use a state regulated calibrated scale such as those in the meat or deli departments of grocery stores. These scales are checked periodically with extremely accurate equipment by the state to ensure that they weigh accurately.

Inspections will be performed as per the INSPECTION CHECKLIST by the event Steward or an official inspector designated by the Steward.

No disqualification of a vehicle can be the sole decision of an inspector. Disqualifications must be made by a joint decision of the inspector and the Steward. Inspection decisions are the sole responsibility of the Steward.


The Steward may at his/her discretion inspect any vehicle following any competition. Post event inspections may be for checking ballast, battery weight, type, or for safety issues. These are examples of possible inspections and is not a comprehensive list.

DRIVERS AND TRACK PERSONNEL MEETING

The Event Steward gathers all the Drivers and Track Personnel including the Timer, Spotters, Lap Counters and Course Marshals together and explains the event procedures including:

1. Ensures all drivers have registered and vehicles are inspected.
2. Explains roles of Timer, Spotter, Lap Counter and Course Marshals.
3. Meaning and use of the flags
4. Starting Procedure
5. Special Course Instructions
6. Answers all questions
7. Tells the drivers when to bring their vehicles to the Starting Grid.

COMPETITION FLAGS



GREEN
(start):
Competition has begun.



YELLOW
(caution):
Look for danger (i.e. a car is stopped on the track) Passing another vehicle is prohibited




RED
(stop):
All vehicles stop at the Start/Finish line but remain in order and the clock is stopped until the race resumes. May also be displayed at 62:00 to confirm race is over.




BLUE w/YELLOW STRIPE
(passing):
You are being overtaken.
On a road course; drive predictably.
On an oval or velodrome; move to the innermost portion of the track so you can be passed.




BLACK:
Your vehicle must stop in the pits.
A furred black flag may be used by the Steward to warn drivers of violations before forcing a full black flag and a pit. This use is limited to small violations not causing safety issues on the track. It would only apply to issues which the driver could correct while on the track, such as poor driving.



WHITE:
Two minute left in the competition.
58:00 to 59:59



CHECKERED:
Competition is over.
Pull off the track after crossing the finish line.
(60:00 to 62:00)



SPECIAL VELODROME EVENT RULES

Vehicles should be positioned two abreast at the starting line on 8 foot centers.

All vehicles must pass on the outside (to the right if counter clock wise, to the left if clock wise).

A vehicle that passes on the inside will have one lap deducted from its score for each vehicle it passes illegally. If the pass is under yellow and the vehicle drops back to its correct position before the yellow is lifted, there is no penalty. It is the responsibility of the event Steward to signal vehicles which are not staying to the inside by using the BLUE and YELLOW STRIPED FLAG.

All vehicles must drive on the inside portion of the track. Vehicles may only move to the outside to pass. Upon completing a pass a vehicle must move back to the inside portion of the track. The level lane that exists in most velodromes is not considered part of the racing portion of the track and is used only for entering and exiting the track.

It is recommended that all vehicle owners verify that their vehicles are stable on the velodrome steep banks. Typical angles are 22 degrees to 33 degrees.

STARTING GRID

The Steward will ensure that all vehicles have sufficient braking power right before starting a competition. A brake push test must be performed on every vehicle once on the starting grid.

Starting positions are determined by one of several methods. The Event Steward decides the method. The method chosen should be announced prior to the event so that teams can be prepared.

- * Pick at random by drawing numbers from a hat
- * Place in order based on receipt of entry forms
- * Place in order based on the completion of Inspection
- * Place in order based on standing from previous Event or Series total
- * Place in order based on practice or qualifying speed. While these speeds may have no relationship with finishing order, placing faster cars in front makes for a safer start.

Vehicles should be positioned at the starting line on 8 foot centers minimum. The number of vehicles in each row is determined by the width of the track at the starting line. The Pole position is in the front row on the side of the inside of the first corner. Successive rows line up abreast behind the first.


If all competitors cannot be safely or fairly accommodated on the starting grid, the Steward may elect to divide the field of competitors into two or more heats. These heats will be considered the same event and should be awarded and scored together. Dividing the field according to apparent or potential speed rather than class or division will reduce the speed differences on the track and make for safer racing.

VIDEO CAMERA

A video camera must be placed at the Start/Finish Line and record entire competition. This tape will be used in the event of lap count protest. The Camera should have a wide angle lens and be placed far enough back from the track to afford a good field of vision but close enough to be able to reliably identify all the vehicle numbers. The camera may be elevated above the track for the best viewing angle. Recording must begin before the green flag is dropped and must remain on until 2 minutes after the checkered flag is displayed. Time and date should be displayed continuously if possible.

COMMUNICATION

Some method of communication between the race steward and all course marshals is required for a race to be sanctioned. If the course is small enough to allow clear visual contact, hand or flag signals will suffice.



EVENT ROLES AND RESPONSIBILITIES

PROMOTER

Must adhere to the Electrathon America Rules and recognize that Electrathon represents a distinctive and well defined class of vehicle and competition in the U.S. The purpose of Electrathon is to promote a positive attitude and educational benefits in the participants and public with regard to alternative electric vehicles.

EVENT COORDINATOR (MAY BE PROMOTER)

The Event Coordinator is the contact between The Electrathon America Organization and the Host Organization that is presenting the event. The Coordinator negotiates the conditions of the event including; location within the site, times, prize money, if available, course size, shape and physical requirements such as power, barricades, support vehicle access, etc. This person must verify all drivers and vehicles have Electrathon America Competitor Membership and collect fees for any which are not. Fees must be sent to Electrathon America. The Event Coordinator may also be the Steward as long as his/her own vehicle is not entered in the event. The Event coordinator may have a vehicle entered, and even drive in the event they coordinate as long as they appoint an independent Race Steward.



STEWARD (MAY BE EVENT COORDINATOR)

The event Steward is in charge of the competition itself and is responsible for the following:

- * Conduct or supervise vehicle inspections
- * Assign volunteers
- * Run driver/track personnel meeting prior to the race.
- * Supervise the race. The Steward may be the Flagman or may appoint a Flagman, who, like the Course Marshals, acts under his/her supervision.
- * Verify lap totals and scoring



The Steward observes the competition in progress, the conduct of competitors and the condition of vehicles. The Steward has final authority on all disputes regarding Event issues and rules. Protests not resolved by the Steward may be submitted to the Board of Electrathon America. (See Forms). The Steward should be experienced with Electrathon events, but should not have a vehicle entered in the event they steward.



INSPECTORS

Persons knowledgeable of the Electrathon Vehicle Design Rules and Electrathon vehicle construction may be appointed as inspectors. The Inspector will scrutinize each vehicle entry for compliance to the design rules. Particular emphasis is placed on issues of safety. The inspector shall use their fair judgment regarding compliance to the rules. Disputes on inspection decisions should be taken to the Steward.

TIMER

The Timer "STARTS THE CLOCKS" as the green flag is dropped and continues the clock unless the event is stopped by the Steward. The timer must have a back-up watch running in case of failure of the main clock. It is the Timer's responsibility to inform the Steward of important time increments. The Timer uses a whistle to announce each ten minute time period of the competition, and calls out each period as well verbally. This is also done at 59 minutes, at 60 minutes and at 62 minutes.

LAP COUNTERS (COUNTING)

Individual Lap/Time Sheets (Preferred Method)

If the Individual Lap/Time sheets are used the Timer will start the clock that all Counters will use. It is best if you use one person for each vehicle. An excellent method is to use the time display of the video camera by connecting it to a large monitor. Each time a car passes the Start/Finish line the actual clock times are entered in the next open box. This method allows all lap times to be calculated and is a better system for resolving lap disputes.

Multiple Car Lap Sheets (Requires less personnel)

A minimum of two teams, each with one SPOTTER and LAP COUNTER. is positioned on opposite sides of the start/finish line (if possible). The longer the course the more cars each team can reliably count. The field of cars is divided between the scorekeeping teams by consecutive numbers. A maximum of six cars per team. Add more scorekeeping teams as necessary. The SPOTTER calls out the number of each assigned car as it passes the start/finish line, to the LAP COUNTER who checks off the car in the appropriate box (see scorekeeping tally sheet) based on the car number and time period (the tally sheet divides the competition into ten minute intervals). At 60 minutes, by the Timers watch, and by announcement of the Timer, no more checks are added to the tally sheet. All scorekeeping teams then record the order of finish of all the vehicles crossing the start finish line by vehicle number, until each vehicle number has been written down once, or two minutes has elapsed. The car order record is used to determine the order of cars on the same lap. This extra lap record is included with the total number of laps completed.

COURSE MARSHALS

Marshals are assigned to specific positions around the track. They may be issued a yellow caution flag, passing flag, or whistle. It is their responsibility to keep the track safe for the competitors. This includes:

- * Warning approaching drivers of obstructions on the track such as disabled vehicles or accidents.
- * Assisting drivers in distress.
- * Keeping spectators off the track and out of dangerous locations.
- * Informing the Flagman of hazardous situations


It is required for a sanctioned race that there must be some method of communication between the steward, flagman and all course marshals.

ADDITIONAL VOLUNTEERS

Assigned duties as needed, such as parking, sign-up, concessions, info booths, admission, photographer, etc.

ANNOUNCER

The Announcer should be familiar with Electrathon vehicles, the vehicle entries and driver names, as in all spectator sports, the Announcer excites the crowd, and helps them understand and follow the events on the track. The Announcer should offer humor, insight and entertainment and help generate interest in Electrathon.



RULES OF THE ROAD

It is completely contrary to the sport of Electrathon for vehicle to vehicle contact to take place during an event. Intentional contact with another vehicle will result in an immediate black flag and disqualification.

Failure to remain aware of the surrounding vehicles as evidenced by repeatedly cutting off, taking a line away from a faster vehicle, or other such negligent behavior, shall result in an immediate black flag and removal of the offending driver. The vehicle may continue with an alternate driver that meets all criteria as a driver for the event.

Vehicles traveling at less than 1/2 their original speed may be removed at the discretion of the race steward if they consider the vehicle to be a safety hazard.

Any vehicle that loses its driver's ballast weights onto the track will be immediately black flagged and disqualified.

SPORTSMANSHIP

All persons associated in any way with an Electrathon America event are expected to conduct themselves in a cordial manner. Confrontations or arguments will not be tolerated and participants are subject to disqualification.

PENALTIES AND DISQUALIFICATION

At the sole discretion of the event Steward, any vehicle or driver or team member may be disqualified from competing at an event. Disqualification may be issued for flagrant violations of sportsmanship, deliberate cheating, or anti-social behavior.

Stewards may disqualify or penalize participants for safety violations, poor sportsmanship, or violations of either the design or event rules. These examples are provided as guidelines to help determine penalties for unspecified infractions.

- * Lap penalties for small infractions
- * Heat or Day disqualification for competition violations such as no ballast, cheating, or competing unknowingly without brakes.
- * Event disqualification, forfeit of lap money or entry fees, for safety violations such as knowingly competing with faulty safety equipment, or multiple or second violations after being warned previously.

DISPUTES OR GRIEVANCES

Any driver believing a fellow competitor has violated the Vehicle Design or Event Rules may file a protest immediately after the event. (see protest form sample). Such protests should limit themselves to issues where a clear illegal advantage was gained that affected the outcome of the event. Protests must be filed with the Event Steward. A protest fee of \$25.00 is required, and will be returned ONLY if the protest is upheld.

EVENT CHRONOLOGY

- Three months before the event** Send in the Event Authorization Form with fee to Electrathon America requesting Sanctioning of the event. This will provide Electrathon America with the information required to post your event on the Event Calendar on the national website.
Request information on Insurance for the event
- One month before the event** Request current mailing list from Electrathon America for your region.
Send Insurance application and fees to Electrathon America
Request waiver forms if this is an Electrathon America insured event.
Send race flyers, invitations, and registration forms to all Electrathon Competitors in the area. Be sure to include dates, times, location (directions and maps), course description, registration costs, prize money, local hotels, and any information special to your event.
Reconfirm event date with Electrathon America.
Send out publicity to local Schools, Clubs, and Media.
- Week of event** Have all barricades, cones, signs, flags etc. available
Confirm vendors, volunteers, supplies
- Day before event** Close race course area to parked vehicles.
- Morning of event** Designate parking and pit area for competitors
Lay out course with cones etc. Set up signs, banners
Volunteers on duty at gate, sign-up, food, etc.
- Three hours before event** Deadline for Registration of entries
Begin Inspection of vehicles and drivers
- One hour before event** All Track Personnel and Drivers' meeting
- 1/2 hour before event** Race announcement to spectators
Clear the course of spectators
Track personnel in position
Vehicles on grid
- 5 minutes before event** Drivers in vehicles
Confirm that the track personnel, timers and scorekeepers are ready
Confirm that the drivers are ready
Announce race
Drop the green flag.
- After the event** Tally the results and Announce the official results (or un-official results in case of protest)
Award prizes or trophies
Send an informational event write up, individual vehicle results, and any new track records to Electrathon America for posting on the website and inclusion in the Electra Newsletter.
Send prize money to each vehicle owner as soon as possible after the event.
Send any new membership forms and fees to Electrathon America.

COMPETITION NUMBERS

Vehicles in each region will have their own set of three digit numbers to be registered with Electrathon America. Available numbers range from 001 to 999. The first and second numbers can be "0" such as "007" but that will be considered the same number as "07" and "7". In the case of numbers such as "007" the proceeding "0"s need not be displayed on the vehicle.

There can be no duplication of numbers within a region but the same numbers can be used in other regions. If two vehicles from different regions, but with the same number, compete at an event, the vehicle from the visiting region will be re-numbered (for this competition only) by the event Steward.

All requests for numbers in all regions must be made to the Electrathon America as part of a new paid membership or a renewal of an existing membership. If a membership renewal is not paid the competition number may be re-assigned to another vehicle if it is requested.

Once you begin construction of your Electrathon vehicle, and certainly by the time you complete it, you should request a competition number for your vehicle. You may ask for a specific number(s) if they are not already held by someone, or a number can be assigned to you. Please provide three choices on your membership form. Your first choice may already be in use in your area.

The numbers have no performance rating, that is, they do not mean anything as far as ranking in Electrathon competition. Any vehicle can keep its number as long as the membership dues are paid each year.

If you arrive at an event with numbers of your own choosing you may have to change them before competing if that number is already in use by another competitor that registered it with Electrathon America.

Once you request and receive a number assignment with your paid membership, your vehicle is automatically registered with Electrathon America. You will receive information about events and are considered a member of Electrathon America. You may be asked to vote on rule change issues, and may request, or be asked to serve on the Board of Directors if an opening exists. You may be asked to serve on various Electrathon committees, and should support the sport by helping promote Electrathon and assist at events in any way you can. A good organization means participation.



VEHICLE INSPECTION FORM

Name (car owner or team leader) _____

School or Team Name (if applicable) _____

Address (This is where awards and race information will be sent) _____

City _____

State _____

ZIP _____

Phone Number _____

E-Mail Address _____

DRIVER INSPECTION:

Driver Name _____

Driver's License Number _____ State _____ Expires _____

- Long-Sleeve Shirt, long pants, and shoes
 - Helmet (DOT approved motorcycle style)
 - Gloves (not required with full canopy)
 - Eye Protection (safety glasses, goggles)
- Driver weight _____ lbs.
Ballast weight _____ lbs.
Total weight _____ lbs. (180 lbs. minimum to compete)

List items used for ballast _____

VEHICLE INSPECTION:

- Vehicle number properly displayed and easily visible (min. 6" high)
- Structure or body shell protects driver from harm
- Bottom pan protects driver from contact with track
- No exposed sharp edges or components
- Axle diameter is 1/2" or 12mm min. unless supported both ends
- Safety wire or cotter pins on all cantilevered axle nuts
- Frame and shell adequately protect driver
- No for loose fittings and fasteners
- All tires are pneumatic (inflated)
- Tire tread is in acceptable condition
- Roll bar or bulkhead can support driver's weight
- Roll bar or bulkhead is braced forward or rearward
- Power kill switch outside the vehicle in a 4" red triangle
- Correct size fuse or circuit breaker between battery and motor
- Wiring is safely installed - terminals tight, insulation good, etc.
- Auto shut-off throttle
- Batteries are securely mounted to the frame and/or body
- Batteries are enclosed or covered

System voltage _____ V AGM Gel Cell Battery quantity _____ Battery Weight _____ lbs,

Battery Manufacturer _____ Brand _____ Group Size _____

Car Number

State

INSPECTION
COMPLETED
(Initialed by Inspector)

Class:

- Standard Experimental

All classes must meet Electrathon America Rules

Division:

- High School College Open

Entry Fees Paid

Liability Form Signed

Electrathon America
Competitor Membership

VEHICLE INSPECTION WITH DRIVER INSIDE:

- Guards (if necessary to protect driver from moving parts)
- Ballast (if required) mounted securely
- Good visibility and field of vision
- Rear view mirrors, 8 square inches
- Top of roll bar or bulkhead is above driver's helmet
- Inside kill switch is driver accessible
- Brake inspection - car will not roll when pushed
- Steering inspection- appears tight and stable at speed, will turn 25' radius
- Vehicle stability test
- 5-point (minimum) lap and shoulder belt hold driver securely in position
- Vehicle exit test in 20 seconds (includes canopy and seat belts)

LIABILITY RELEASE FORM

Before competing in any Electrathon America-sanctioned event the following release form must be completed and signed, and the following must be true. You must have a valid driver's license. If you are under 18 years of age, you will be required to have a parent or legal guardian co-sign with you.

I agree to participate in this competition under my own free will. I will be held personally responsible for my actions.

I agree to abide by the rules, conditions and decisions of Electrathon America and its event officials.

I accept the conditions under which this event is held, and accept all risks inherent in this competition, even including those unforeseen or unanticipated by me.

I agree to hold harmless Electrathon America, local event sponsors, organizers, officials, volunteers, and the owners and employees of the facility where the event is held from liability and to settle any and all disputes through established event rules or arbitration.

I will conduct myself in a sportsmanship-like manner and will take responsibility for the behavior of my associates, friends and family.

I understand that this is a non-professional event and that changes, delays and errors may occur.

Signature: _____ Date: _____

Printed Name: _____

Driver's License #: _____ State: _____ Expires: _____

If driver is under 18 years of age, parent or guardian must sign below.

Guardian Signature: _____ Date: _____

Guardian Printed Name: _____

Event Location _____ Event Date _____

OFFICIAL PROTEST FORM

As a competitor in this event I believe that an unfair advantage has been gained by another participant by violating the Electrathon America Design or Event Rules. I thereby file this protest with the Event Steward and request that that the results of the competition be stated as unofficial until the protest has been resolved.

I hereby submit \$25.00 as a protest fee with the Event Steward and request that the issue be investigated. I understand that if my protest is found by the Event Steward to be without justification my protest fee will be forfeited to the Event and may be claimed by the accused party if vehicle disassembly for inspection is required, or if hardship is caused to the accused due to the investigation. Claims to the \$25.00 will be at the sole discretion of the Event Steward.

I understand that if my protest is upheld, my protest fee will be returned to me. The competition results will be changed to reflect the findings of the investigation, and the accused may be disqualified from this event, if the situation warrants.

I understand that the Event Steward's decision will be final in this protest.

Event Name: _____ Location: _____ Date _____

Event or Design Rule that was Violated: _____

Time Rule was Violated: _____

Reason for the Protest: _____

Name of person filing protest: _____

Signature: _____ Date: _____ Time: _____

Result of investigation _____

Steward Signature: _____ Date: _____ Time: _____

LAP TALLY SHEET

Individual Lap/Time Method

Car Number	State	TOTAL LAPS COMPLETED

School or Team Name _____

Driver Name _____

Date _____

Lap counter's name _____

Event Location _____

LAP	TIME	LAP	TIME	LAP	TIME	LAP	TIME	LAP	TIME
1	<input type="checkbox"/> _____	31	<input type="checkbox"/> _____	61	<input type="checkbox"/> _____	91	<input type="checkbox"/> _____	121	<input type="checkbox"/> _____
2	<input type="checkbox"/> _____	32	<input type="checkbox"/> _____	62	<input type="checkbox"/> _____	92	<input type="checkbox"/> _____	122	<input type="checkbox"/> _____
3	<input type="checkbox"/> _____	33	<input type="checkbox"/> _____	63	<input type="checkbox"/> _____	93	<input type="checkbox"/> _____	123	<input type="checkbox"/> _____
4	<input type="checkbox"/> _____	34	<input type="checkbox"/> _____	64	<input type="checkbox"/> _____	94	<input type="checkbox"/> _____	124	<input type="checkbox"/> _____
5	<input type="checkbox"/> _____	35	<input type="checkbox"/> _____	65	<input type="checkbox"/> _____	95	<input type="checkbox"/> _____	125	<input type="checkbox"/> _____
6	<input type="checkbox"/> _____	36	<input type="checkbox"/> _____	66	<input type="checkbox"/> _____	96	<input type="checkbox"/> _____	126	<input type="checkbox"/> _____
7	<input type="checkbox"/> _____	37	<input type="checkbox"/> _____	67	<input type="checkbox"/> _____	97	<input type="checkbox"/> _____	127	<input type="checkbox"/> _____
8	<input type="checkbox"/> _____	38	<input type="checkbox"/> _____	68	<input type="checkbox"/> _____	98	<input type="checkbox"/> _____	128	<input type="checkbox"/> _____
9	<input type="checkbox"/> _____	39	<input type="checkbox"/> _____	69	<input type="checkbox"/> _____	99	<input type="checkbox"/> _____	129	<input type="checkbox"/> _____
10	<input type="checkbox"/> _____	40	<input type="checkbox"/> _____	70	<input type="checkbox"/> _____	100	<input type="checkbox"/> _____	130	<input type="checkbox"/> _____
11	<input type="checkbox"/> _____	41	<input type="checkbox"/> _____	71	<input type="checkbox"/> _____	101	<input type="checkbox"/> _____	131	<input type="checkbox"/> _____
12	<input type="checkbox"/> _____	42	<input type="checkbox"/> _____	72	<input type="checkbox"/> _____	102	<input type="checkbox"/> _____	132	<input type="checkbox"/> _____
13	<input type="checkbox"/> _____	43	<input type="checkbox"/> _____	73	<input type="checkbox"/> _____	103	<input type="checkbox"/> _____	133	<input type="checkbox"/> _____
14	<input type="checkbox"/> _____	44	<input type="checkbox"/> _____	74	<input type="checkbox"/> _____	104	<input type="checkbox"/> _____	134	<input type="checkbox"/> _____
15	<input type="checkbox"/> _____	45	<input type="checkbox"/> _____	75	<input type="checkbox"/> _____	105	<input type="checkbox"/> _____	135	<input type="checkbox"/> _____
16	<input type="checkbox"/> _____	46	<input type="checkbox"/> _____	76	<input type="checkbox"/> _____	106	<input type="checkbox"/> _____	136	<input type="checkbox"/> _____
17	<input type="checkbox"/> _____	47	<input type="checkbox"/> _____	77	<input type="checkbox"/> _____	107	<input type="checkbox"/> _____	137	<input type="checkbox"/> _____
18	<input type="checkbox"/> _____	48	<input type="checkbox"/> _____	78	<input type="checkbox"/> _____	108	<input type="checkbox"/> _____	138	<input type="checkbox"/> _____
19	<input type="checkbox"/> _____	49	<input type="checkbox"/> _____	79	<input type="checkbox"/> _____	109	<input type="checkbox"/> _____	139	<input type="checkbox"/> _____
20	<input type="checkbox"/> _____	50	<input type="checkbox"/> _____	80	<input type="checkbox"/> _____	110	<input type="checkbox"/> _____	140	<input type="checkbox"/> _____
21	<input type="checkbox"/> _____	51	<input type="checkbox"/> _____	81	<input type="checkbox"/> _____	111	<input type="checkbox"/> _____	141	<input type="checkbox"/> _____
22	<input type="checkbox"/> _____	52	<input type="checkbox"/> _____	82	<input type="checkbox"/> _____	112	<input type="checkbox"/> _____	142	<input type="checkbox"/> _____
23	<input type="checkbox"/> _____	53	<input type="checkbox"/> _____	83	<input type="checkbox"/> _____	113	<input type="checkbox"/> _____	143	<input type="checkbox"/> _____
24	<input type="checkbox"/> _____	54	<input type="checkbox"/> _____	84	<input type="checkbox"/> _____	114	<input type="checkbox"/> _____	144	<input type="checkbox"/> _____
25	<input type="checkbox"/> _____	55	<input type="checkbox"/> _____	85	<input type="checkbox"/> _____	115	<input type="checkbox"/> _____	145	<input type="checkbox"/> _____
26	<input type="checkbox"/> _____	56	<input type="checkbox"/> _____	86	<input type="checkbox"/> _____	116	<input type="checkbox"/> _____	146	<input type="checkbox"/> _____
27	<input type="checkbox"/> _____	57	<input type="checkbox"/> _____	87	<input type="checkbox"/> _____	117	<input type="checkbox"/> _____	147	<input type="checkbox"/> _____
28	<input type="checkbox"/> _____	58	<input type="checkbox"/> _____	88	<input type="checkbox"/> _____	118	<input type="checkbox"/> _____	148	<input type="checkbox"/> _____
29	<input type="checkbox"/> _____	59	<input type="checkbox"/> _____	89	<input type="checkbox"/> _____	119	<input type="checkbox"/> _____	149	<input type="checkbox"/> _____
30	<input type="checkbox"/> _____	60	<input type="checkbox"/> _____	90	<input type="checkbox"/> _____	120	<input type="checkbox"/> _____	150	<input type="checkbox"/> _____

LAP TALLY SHEET Multiple Car Lap Method

Date _____

Indicate order cars cross the finish line under checkered flag (1,2,3,4,5,6)

Event Location _____

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																		
LAP 5	LAP 5	LAP 5	LAP 5	LAP 5	LAP 5																		
CAR NUMBER	CAR NUMBER	CAR NUMBER	CAR NUMBER	CAR NUMBER	CAR NUMBER																		
120	115	110	105	100	95	90	85	80	75	70	65	60	55	50	45	40	35	30	25	20	15	10	5

TOTAL LAPS COMPLETED		<input type="text"/>
School or Team Name	<input type="text"/>	<input type="text"/>
Driver Name	Car Number	State

TOTAL LAPS COMPLETED		<input type="text"/>
School or Team Name	<input type="text"/>	<input type="text"/>
Driver Name	Car Number	State

TOTAL LAPS COMPLETED		<input type="text"/>
School or Team Name	<input type="text"/>	<input type="text"/>
Driver Name	Car Number	State

TOTAL LAPS COMPLETED		<input type="text"/>
School or Team Name	<input type="text"/>	<input type="text"/>
Driver Name	Car Number	State

TOTAL LAPS COMPLETED		<input type="text"/>
School or Team Name	<input type="text"/>	<input type="text"/>
Driver Name	Car Number	State

TOTAL LAPS COMPLETED		<input type="text"/>
School or Team Name	<input type="text"/>	<input type="text"/>
Driver Name	Car Number	State

Lap counter's name _____

Spotter's name _____

EVENT INSURANCE

Electrathon America has secured an insurance policy to cover Electrathon America Sanctioned events nationwide. Electrathon America paid the initial minimum premium for the policy, this allows events to buy into the policy for much less than it would cost on their own.

To get insurance follow these easy steps:

- Start early
- Read the requirements below
- Determine the insurance requirements of your venue
- Mail in your application
- Mail your payment (must be received before event and before certificates are issued)
- Enjoy your event!

Insurance can only be extended to Electrathon America Sanctioned events.

To obtain sanctioning:
Contact Electrathon America at
Info@ElectrathonAmerica.org
<mailto:Info@ElectrathonAmerica.org> ,
or download the sanctioning forms from
www.ElectrathonAmerica.org
<http://www.ElectrathonAmerica.org>

To Obtain an Insurance Application

Contact: Electrathon America
1084 G Street
Springfield, Oregon 97477
www.ElectrathonAmerica.org

How to Pay:

Mail check payable to: **Electrathon America**

Requirements:

Events must be sanctioned by Electrathon America

Submit applications for event coverage 4 to 6 weeks prior to event.

A diagram of the course layout is required for parking lot and street events and any other events not in a standard auto racetrack.
Photographs may be mailed or emailed if required.

Generally, events in parking lots or on the street will require some sort of positive barrier protection (tires or hay bales) and crowd control fencing (generally, orange plastic snow fence is acceptable) to prevent spectators from entering restricted areas or the course.

Events at standard race tracks may not need diagrams and detailed information. Call the insurance agent to determine if this is a track known to the underwriter.

Two waiver forms are required: One for every entrant to restricted areas, the other for minors who participate or enter restricted areas. These must be ordered more than 2 weeks prior to the event. Late orders will be charged for express mailing.

Each minor and his/her parent or guardian must complete a waiver.

Funds must be received prior to issuing certificates of insurance.

Funds must be received prior to the event to prevent cancellation of the event coverage.

Event Insurance Pricing:

Contact Electrathon America for current pricing and further details.

Additional Available Coverages:

Higher limits of coverage may be available if needed by a specific venue.

Contact Electrathon America for more information.

Annual practice, Club meetings, Social Functions, concours, etc. may also be covered for an additional premium.

Additional insureds

List the additional insureds, as required for your event, on the application.

Automatically included as additional insureds are:

- A. Any person or organization engaged in operating, managing, sanctioning, or sponsoring the "Covered Program" or providing the premises for a "Covered Program", including officials of the "Covered Program"
- B. Any participant, (excluding drivers) "Competition Vehicle" owner and "competition vehicle" sponsor and officials of the "Covered Program"
- C. Any "participant" driver, but only with the respect to "Bodily Injury" or "Property Damage" to persons other than any other driver.

AUTHORIZATION FOR A SANCTIONED EVENT

PROMOTER RESPONSIBILITIES:

- * Once routed and approved, this Authorization Form allows the Promoter to hold a Sanctioned Electrathon Event and use the statement "Sanctioned by Electrathon America" in any related advertising.
- * Sanctioning by Electrathon America is for the purpose of maintaining adherence to the current competition rules. For more information please email info@electrathonamerica.org
- * Only the vehicles listed on the current competitor membership list or those buying a membership may compete.
- * Minimum Insurance coverage of one million dollars for the event must be secured. Inexpensive insurance is made available through ELECTRATHON AMERICA Inc. For more information please email: info@electrathonamerica.org If you are using non-EA insurance you must include proof of insurance prior to sanctioning.
- * Sanctioning does not constitute acceptance of liability on the part of Electrathon America or its board members, officers, or extended staff or contractors for safety, lap money, expenses, agreements, actions or other activities of the Promoter and/or participants.
- * The event is the sole responsibility of the Promoter. The Promoter agrees to enforce the vehicle design rules, abide by all of the requirements defined by the current Electrathon America Sanctioning and Event Rules, available at the date this form was submitted.
- * For this form to be valid it must be signed by the Promoter AND an Electrathon America Board Member and a copy returned to the Promoter.
- * Electrathon America reserves the right to deny sanctioning for any request if it believes for any reason, that the best interests of current and future members are not served.

THIS SECTION TO BE COMPLETED BY PROMOTER:

Electrathon America authorizes the following organization, _____, herein after referred to as the "Promoter", to hold a Sanctioned Electrathon Event on the following date(s), _____, at the following location:

LOCATION NAME / DESCRIPTION:

ADDRESS: _____

CITY: _____ STATE: _____ ZIP: _____ PHONE: (_____) _____

Person Representing Promoter (print): _____

Person Representing Promoter (signature): _____ Email: _____

Contact Person if different (print): _____ Email: _____

ADDRESS: _____

CITY: _____ STATE: _____ ZIP: _____ PHONE: (_____) _____

<p>PROMOTER ACTIONS:</p> <ul style="list-style-type: none">* Complete all sections above.* Mail this request form to: <p>ELECTRATHON AMERICA Event Coordinator 1084 G Street, Springfield, Oregon 97477</p> <p>*Obtain Insurance. Are you requesting EA insurance? <input type="checkbox"/> Yes <input type="checkbox"/> No</p>	<p>APPROVING ELECTRATHON AMERICA BOARD MEMBER ACTIONS</p> <p>Name(print): _____</p> <p>(signature): _____ date: _____</p> <ul style="list-style-type: none">* Send a copy of this form with all signatures to the requestor* Send a copy of this form with all signatures to the Electrathon America web master* See that a copy of current event rules are sent.
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

MEMBERSHIP FORM ELECTRATHON AMERICA

\$30.00 Competitor Annual Membership includes:

Electrathon America Handbook (the rules are posted online for all to see but the hard copy contains graphics and pictures to aid in design)

Rule change voting rights a (one vote per number registration)

Electra Newsletter subscription (mailed 3-4 times per year)

One Vehicle number registration (the vehicle is registered, not the team or owner)

All memberships are valid for the Event Season during which they are paid. The event season is from January 1st to December 31st. Electrathon America Handbooks will be sent out each year with your renewal.

Name: _____

School or team name: _____

Address: _____

City: _____ State: _____ ZIP: _____

Country: _____

Phone: (_____) _____ Email: _____

Vehicle Number	<input type="text"/>	<input type="text"/>	Additional Vehicle Numbers	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
	1st choice	(State)		1st choice	(State)	1st choice	(State)	1st choice	(State)
	<input type="text"/>	<input type="text"/>		<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
	2nd choice			2nd choice		2nd choice		2nd choice	

\$30.00 annual Competitor Membership; Includes registration for one car, hard copy of the current rulebook, newsletter, and membership card.

\$15.00 per car annual Additional Car Registration (you may register numerous cars as a team)

\$15.00 Electrathon America Handbook only (the current newsletter and rulebook with guidelines are posted at our website (www.electrathonamerica.org)).

Total amount

Electrathon America does not sell personal information to anyone for any reason.

REQUESTS CAN NOT BE PROCESSED WITHOUT CHECK OR MONEY ORDER PAYABLE TO:
ELECTRATHON AMERICA

We will distribute the membership list to sanctioned event promoters for the purpose of notifying you of events planned in your area.

SEND TO:

Electrathon America

1084 G Street
Springfield, Oregon 97477

All monies collected by Electrathon America goes toward maintaining the organization, such as website fees, printing, postage, licensing, taxes and such.

The staff of Electrathon America are ALL volunteers whose time is dedicated solely for the growth of Electrathon.